




# GameChanger Cable

Unshielded Twisted Pair  
Riser Rated - CMR

258310333

US Patent No. 10,453,589



## 1.0 Scope

1.1 This cable consists of 4 pair solid bare copper; color-coded high density polyethylene (HDPE) insulation; overall FR-PVC jacket. RoHS-2 Compliant

## 2.0 Construction

### 2.1 Conductor

- 2.1.1 Material: Bare Copper
- 2.1.2 Construction: Solid 22 AWG

### 2.2 Insulation

- 2.2.1 Material: Ultra Low-Loss Dielectric
- 2.2.2 O.D.: 0.044" nom
- 2.2.3 Color Code
  - Pair 1: White/Blue  
Blue
  - Pair 2: White/Orange  
Orange
  - Pair 3: White/Green  
Green
  - Pair 4: White/Brown  
Brown

### 2.3 Core Assembly:

2.3.1 4 twisted pairs cabled together to form the main core.

### 2.4 Jacket

- 2.4.1 Material: FR-PVC
- 2.4.2 Wall Thickness: 0.050" nom.
- 2.4.3 OD: .238" nom
- 2.4.4 Color: Yellow with a white stripe
- 2.4.5 Ripcord under jacket

2.4.6 Markings: "PAIGE GAMECHANGER PATENT NO 10,453,589 (UL) CMR --- C(UL) FT4 E191596XX ROHS SUN RES" (Ascending/Descending length marking)

## 2.5 Electrical Properties

- 2.5.1 Conductor Resistance:  $\leq 6.35\Omega/100m$
- 2.5.2 Insulation Resistance:  $\geq 5000M\Omega Km$  (DC500V Charged 1 Min)
- 2.5.3 Voltage Endurance: DC 1500V/min
- 2.5.4 Mutual Capacitance:  $\leq 7.0nF/100m$
- 2.5.5 Core-Core Resistance Unbalance:  $\leq 5\%$

## 2.6 Temperature Rating

2.6.1 -20°C to +75°C

## 2.7 Power over Ethernet Support

2.7.1 Class 1 - 8

## 3.0 Weights and Dimensions

### 3.1 Put Up

- 3.1.1 Length: 1,000 ft box
- 3.1.2 Weight: 29 lbs
- 3.1.3 Dimensions: 15" x 12" x 15"

We want to hear from you!

200 Sheffield St, Suite 302, Mountainside, NJ 07092

Tel: 888.423.8947 [gamechanger@paigeelectric.com](mailto:gamechanger@paigeelectric.com)



Frequency MHz	Return Loss ≥dB/100m	Insertion Loss ≤dB/100m	NEXT ≥dB/100m	PSNEXT ≥dB/100m
1	24	1.5	90	87
10	31	4.8	75	72
20	32	7.0	64	61
100	26	16.1	50	47
200	24	23.2	48	45
250	21	26.1	47	44
350	20	31.4	45	42
500	19	38.3	43	40
550	18	40.4	42	39

\*Values above 250 MHz are for engineering information only

### Application

GameChanger cabling is designed specifically for transmitting Ethernet and can support all 8 classes of Power over Ethernet.

Maximum transmission distance exceeds Category Rating limits, but varies with equipment and settings used. If you have any questions about the maximum recommended distance for a particular installation, please contact us.

### Connectors

GameChanger cabling works with most Cat 6 jacks and patch cords, but is only recommended to work with Platinum Tools ezEX44 or ezEX48 RJ45 modular plugs.

### Alternate Constructions

GameChanger cabling is also available with:

- 258310333 - Riser, Yellow w/ White Stripe
- 258300336 - Plenum, Blue w/ White Stripe
- 258300310 - Plenum, White
- 258330804 - OSP, Black
- 258340804 - OSP Shielded, Black
- 258802404 - Class I, Division 1 Armored

### Frequently Asked Questions

For FAQ and best practices please visit:  
[www.paigedatacom.com/gamechanger](http://www.paigedatacom.com/gamechanger)

### We want to hear from you!

200 Sheffield St, Suite 302, Mountainside, NJ 07092

Tel: 888.423.8947 [gamechanger@paigeelectric.com](mailto:gamechanger@paigeelectric.com)

[www.paigeelectric.com/gamechanger](http://www.paigeelectric.com/gamechanger)



Connecting You To More